

Compact, Reliable And Simple To Use



Workstation, Instapak® foam component and Instamate® packaging film not included.

Instapak® 900 Foam-In-Place Packaging System

Ideal For Small To Mid-Size Packaging Operations



The state-of-the-art console has foam output controls, built-in timers and self-diagnostic features for user-friendly operation.



Every Instapak® system utilizes our patented, self-cleaning cartridge dispenser.

The Industry Standard for Foam-In-Place

Requires Minimal Space

Our handy 15-gallon containers and compact system design are easy to fit anywhere on the shop floor.

Easy to Install

The all-electric Instapak® 900 system installs easily. The system does not require shop air, or any other special arrangements.

Easy to Use

Swivel fittings allow easy and flexible foam dispensing.

Safe and Durable

The 900 system meets major international product safety standards.



Guaranteed Foam Quality

Electric metering pumps and self-diagnostic controls guarantee top quality Instapak® foam.

Simple to Maintain

No scheduled maintenance is required.

Sealed Air® Support Services

- Operator Training
- Package Design and Testing
- Equipment Installation
- Site Selection Assistance

Utility Requirements

Electrical Power: 200-240 VAC Dedicated Circuit, 50/60 Hz, 30 Amp, Single-Phase with equal voltage from each leg to ground.

Receptacle Type: NEMA L6-30R

For important operating and safety information, please see the "Recommendations for the Safe Use and Handling of Instapak® Foam-in-Place Chemicals" bulletin.

Sealed Air

Protective Packaging
10 Old Sherman Turnpike
Danbury, CT 06810
203-791-3500 Fax: 203-791-3618
www.instapak.com

Our Products Protect Your Products®

Distributed By:



Corporate Office: Sealed Air Corporation (US)
200 Riverfront Boulevard, Elmwood Park, NJ 07407 www.sealedair.com
© Reg. U.S. Pat. and TM Off. © Sealed Air Corporation (US) 2008. All rights reserved. Printed in the U.S.A.
The "9 Dot Logo" and "Sealed Air" are trademarks of Sealed Air Corporation (US).